

SmartComfort® TXC Heat Pump Featuring The Observer[™] Communicating System











Tempstar[®] SmartComfort[®] TXC Heat Pump

Featuring The Observer[™] Communicating System

Tempstar[®] professionals take pride in bringing you the latest technology in home comfort, with the goal of surpassing your expectations in energy efficiency and dependability. From engineering and design to industry-leading warranties, we are dedicated to always delivering quality you can feel.




R410A is an EPA-approved, environmentally sound refrigerant.

Big On Comfort, Efficiency & Quiet

The Tempstar[®] SmartComfort[®] TXC Heat Pump featuring the Observer[™] communicating system is designed to take your home to a new level of comfort and efficiency. Teamed with our Observer communicating wall control and the appropriate indoor coil or gas furnace, the SmartComfort TXC functions as part of a complete communicating home comfort system. Various components of the system "talk" to each other electronically, fine-tuning comfort levels while maximizing energy savings.







Durable The painted, galvanized steel cabinet features a powder-coat, baked-on finish over galvanized steel and a coated inlet grille with narrower spacing to provide maximum protection as it allows for proper airflow and easy coil cleaning.








Efficient The scroll compressor and the 7 mm copper tubing with aluminum fin coils increase

efficiency for greater energy savings.

Aerodynamic The aerodynamic air discharge design reduces operating sound.

Observer™ Communicating Wall Control The SmartComfort® TXC is teamed with our innovative Observer™ communicating wall control, offering fullcolor touchscreen technology and coordinating with compatible furnace, heat pump and system accessories to create maximum efficiency and ideal comfort.



Sound Smart

A noisy air conditioner is a nuisance. That's why we build the SmartComfort TXC with premium components for quiet performance. The compressor is mounted using an isolation system and shielded with a sound blanket to minimize compressor noise. The unit's aerodynamic air discharge design also reduces operating sound. And our Quiet Shift Defrost Control Setting ensures quiet, efficient defrosts in cold weather.

Rely On Our Quality

Every Tempstar heat pump is designed to deliver years of dependable service. The cabinet is exceptionally durable, thanks to its corrosion-resistant, appliance-grade paint. The filter drier removes moisture from the refrigerant and safeguards the longterm reliability of the refrigeration system.



High Efficiency Saves You Money

You can get sizeable energy savings with this model's 15 SEER*/8.5 HSPF* rating. You could save up to 33% compared to an older 10 SEER unit!

¹SEER stands for Seasonal Energy Efficiency Ratio and HSPF stands for Heating Seasonal Performance Factor.



Quality Product, Quality Protection

Tempstar units are backed by exceptional warranties, including our No Hassle Replacement[¬] limited warranty, which gives the original purchaser a onetime replacement unit if the compressor or outdoor coil should fail due to defect within the first five years. You also get a 10 year parts limited warranty

upon timely registration.* 'Limited warranty period is 5 years for parts if not registered within 90 days of installation. Jurisdictions where warranty benefits cannot be conditioned on registration will receive the registered limited warranty periods. Please see warranty certificate for further details and restrictions


Complete Line, Complete Comfort

A completely integrated system of Tempstar heating and cooling products can maximize comfort and efficiency.

- AIR CLEANER filters out many indoor air pollutants so the air in your home is cleaner.
- b FULL-COLOR TOUCHSCREEN OBSERVER™ COMMUNICATING WALL Control allows you to customize heating and cooling levels and can also save energy.
- C HUMIDIFIER enhances comfort by reducing dryness in the air.
- d COMPATIBLE COMMUNICATING GAS FURNACE for maximum comfort and efficiency; seamlessly integrates with Observer communicating wall control to create ideal warmth and energy savings.

COMPATIBLE COMMUNICATING HEAT PUMP integrates seamlessly with Observer communicating wall control to optimize comfort and energysaving operation.

- f EVAPORATOR/INDOOR COIL matches your Tempstar heat pump and furnace to ensure great performance.
- **9** UV LIGHTS help prevent the growth of microbes on the coils. (Not available on all models.)



| | MAINLINE MODELS | | | |
|---|--------------------------------|--------------------------------|--|--------------------------------|
| Tempstar Split System Comparison | TX 2300 | TX 2500/ TX 2600 | TXC | TXT+ |
| HP MODEL SERIES | T4H3 | TXH5 | TSH5 | T4H5/ T4H7 |
| AC MODEL Series | T4A3 | TXA6 | TSA6 | T4A6/ T4A8 |
| REFRIGERANT | R410A | @ R410A | R410A | R410A |
| SEER RATING* | 13 | Up to 15/16 * | ************************************** | EXERCISION 15-18 |
| HSPF RATING* Heat Pumps Only | 7.7 | 8.5 | 8.5 | 8.5 |
| COMMUNICATING CONTROL | | | | \bigcirc |
| NO HASSLE REPLACEMENT™ Limited Warranty | 1 YR | 5 YR | 5 YR | 10 YR |
| PARTS & COMPRESSOR Limited Warranty* | 10 YR | 10 YR | 10 YR | 10 YR |
| COMPRESSOR Also includes sound jacket | Scroll with Sound Jacket | Scroll with Sound Jacket | Scroll with Sound Jacket | Scroll with Sound Jacket |
| TWO-STAGE Compressor | 0 | \bigcirc | \bigcirc | • |
| COMFORT ALERT® Diagnostic System | • | • | \bigcirc | • |
| ENHANCED AIR MANAGEMENT | • | • | | • |

Proper sizing and installation of equipment is critical to achieve optimal performance. Split system air conditioners and heat pumps must be matched with appropriate coil components to meet ENERGY STAR® criteria. Ask your contractor for details or visit www.energystar.gov.

- For information regarding furnace or fan coil options that can increase the energy efficiency of selected 13 and 14 SEER Tempstar air conditioners (SEER) and heat pumps (SEER and HSPF), go to Tempstar.com and look for "Energy Savings" on the menu.
- Timely registration required for 10 year parts limited warranty. Limited warranty period is 5 years for parts if not registered within 90 days of installation. Jurisdictions where warranty benefits cannot be conditioned on registration will receive the registered limited warranty periods. Please see warranty certificate for further details and restrictions.
- '16 SEER rating when paired with select indoor equipment.

All systems tested and listed by the appropriate agencies.



As part of its commitment to quality, International Comfort Products, LLC, reserves the right to change specifications on its products without notice. Illustrations and photographs in this brochure are representative. Some product models may vary. Comfort Alert is a registered trademark of Emerson Climate Technologies, Inc.



QUALITY YOU CAN FEEL

PO Box 128 • Lewisburg, TN 37091 Tempstar.com